

## Problem Set PS01

ISSUED: 8/31/00 Due: 9/7/00

Prof. Darin J. Ulness

Name \_\_\_\_\_

**Instructions.** Complete all questions before class on the due date. You are encouraged to work together. Be sure to struggle with the problem before seeking help. Many of the exercises are very similar to problems in the book. Understanding the solution to these problems will be helpful in completing the assigned exercises.

### Mathematical Exercises

1. Find  $\frac{df(x)}{dx}$  for the following functions

(a)  $f(x) = \tan[\cos[\sqrt{x}]]$

(b)  $f(x) = x^{3/2} + \frac{1}{\sec|x|}$

2. Find  $\frac{\partial f(x,y)}{\partial x}$  and  $\frac{\partial f(x,y)}{\partial y}$  for the following functions

(a)  $f(x, y) = ax^3 + xy^5 + xy$

(b)  $f(x, y) = \tan xy - \frac{y^2}{x}$

(c)  $f(x, y, u, v) = x^2 + e^{xyv} + v^2y \ln v + (xyu)^5 + \ln\left[\frac{y^2}{xu}\right]$

3. Find the zeros of the following functions. (The zeros are the values of  $x$  where  $f(x) = 0$ )

(a)  $f(x) = \sin 2x$

(b)  $f(x) = \cos x$

(c)  $f(x) = \sin^2 x$

4. One can write  $e^{ix} = \cos x + i \sin x$ . Use this fact to derive the Euler identities  $\sin x = \frac{1}{2i}(e^{ix} - e^{-ix})$  and  $\cos x = \frac{1}{2}(e^{ix} + e^{-ix})$ . Hint: you will need to think about the symmetry of cosine and sine. That is, what is  $\cos(-x)$  and  $\sin(-x)$ ?

5. A complex number  $z$  can be written as  $z = x + iy$  where  $x$  is the real part of  $z$  ( $x = \operatorname{Re}[z]$ ) and  $y$  is the imaginary part of  $z$  ( $y = \operatorname{Im}[z]$ ). A complex number can also be represented by a point in the complex plane. The complex plane is defined by a set of Cartesian coordinates  $(x, y)$  such that the point  $(x_1, y_1)$  in the complex plane corresponds to the complex number  $z = x + iy$ . Graph the complex numbers  $1, 3 - 3i, i, -1 + 2i, \sqrt{-9}, e^{0i}, e^{\frac{\pi i}{2}}, e^{\pi i}, e^{\frac{3\pi i}{2}}, e^{2\pi i}$  in the complex plane. Hint: It may be helpful for the last five points if you express the exponentials as sines and cosines like the previous problem.

6. What is the periodicity of the following functions? That is, for each of the following functions  $f(x) = f(x + a)$ , where  $a$  is some constant—find  $a$ .

(a)  $f(x) = \cos^2 x$

(b)  $f(x) = \sin x$

(c)  $f(x) = e^{3ix}$

## Exercises

7. Sketch a plot of the Paschen series spectrum for the hydrogen atom.
8. The Bohr model works well for *hydrogenic systems* (a nucleus and one electron). Sketch the “Paschen series” for  $\text{He}^+$  and  $\text{Li}^{2+}$ . Also, what is the ionization energy for these ions?

## Conceptual Problems

9. Explain in your own words how the six experiments listed on page 2–3 of the notes posed a problem to turn of the century physics and briefly how quantum mechanics explains these phenomena.
10. Assume that we performed a three slit experiment. Qualitatively sketch the outcome of the following experiments
  - (a) We make no attempt to determine which slit the electron went through.
  - (b) We block one slit.
  - (c) We block two slits.
  - (d) We setup devices on the middle slits to monitor electrons passing through it.
11. State whether or not the following functions are valid wavefunctions over the range specified. If you say not valid explain why.
  - (a)  $\psi(x) = e^{-x}$ ,  $-\infty \leq x \leq \infty$
  - (b)  $\psi(x) = \sin x$ ,  $-\infty \leq x \leq \infty$
  - (c)  $\psi(x) = e^{-\frac{i}{2}x}$ ,  $0 \leq x < \pi$
  - (d)  $\psi(x) = x^{\frac{1}{2}}$ ,  $0 \leq x < 1$
  - (e)  $\psi(x) = e^{-x^2}$ ,  $-\infty \leq x < \infty$

## Computer Problems

12. Check Mathematical Exercises 1–5 using MATHEMATICA.
13. Use MATHEMATICA to help you normalize the following wavefunctions over all space ( $-\infty \leq x \leq \infty$ ). Plot the probability distribution associated with each of these wavefunctions.
  - (a)  $\psi(x) = e^{-x^4}$ , note: your result should involve a function called the gamma function (denoted as  $\Gamma$ ).
  - (b)  $\psi(x) = x^4 e^{-x^2}$
  - (c)  $\psi(x) = e^{-x^2} \sin x$

## Reflective Exercises

14. The current definitions of science as set forth by the American Physical Society Panel on Public Affairs (APS–POPA) read as follows:

“Science extends and enriches our lives, expands our imagination and liberates us from the bonds of ignorance and superstition. The American Physical Society affirms the precepts of modern science that are responsible for its success.

“Science is the systematic enterprise of gathering knowledge into testable laws and theories.

“The success and credibility of science are anchored in the willingness of the scientist to:

i. Expose their ideas and results to independent testing and replication by other scientists. This requires the complete and open exchange of data, procedures and materials.

ii. Abandon or modify accepted conclusions when confronted with more complete or reliable or observational evidence.

Adherence to these principles provides a mechanism for self correction that is the foundation of the credibility of science”

- (a) Give one example of how quality science extends and enriches our lives. Also give an example where quality science has failed to do this.
- (b) Give one example of how quality science expands our imagination.
- (c) Give one example of how quality science liberates one from the bonds of ignorance and superstition.
- (d) Do the above definitions jive with your definition(s) of science?

① (a)  $f(x) = \tan(\cos \sqrt{x})$   $u = \sqrt{x}$   $v = \cos u$   
 so  $f = \tan v$   
 $\frac{df}{dx} = \frac{df}{dv} \frac{dv}{du} \frac{du}{dx}$

$\frac{df}{dv} = \sec^2 v$   $\frac{dv}{du} = -\sin u$   $\frac{du}{dx} = \frac{1}{2\sqrt{x}}$

so  $\frac{df}{dx} = \sec^2[-\sin(\cos \sqrt{x})]$

(b)  $f(x) = x^{3/2} + \frac{1}{\sec x}$   $\frac{1}{\sec x} = \cos x$

$\frac{df}{dx} = \frac{3}{2}x^{1/2} - \sin x$

② (a)  $f(x,y) = ax^3 + xy^5 + xy$

$\frac{\partial f}{\partial x} = 3ax^2 + y^5 + y$   $\frac{\partial f}{\partial y} = 5xy^4 + x$

(b)  $f(x,y) = \tan xy - \frac{y^2}{x}$



$\frac{\partial f}{\partial x} = y \sec^2 xy + \frac{y^2}{x^2}$   $\frac{\partial f}{\partial y} = x \sec^2 xy - 2 \frac{y}{x}$

③  $f(x,y,u,v) = x^2 + e^{xyu} + v^2 + (xyu)^5 + \ln(x^2)$


$\frac{\partial f}{\partial x} = 2x + yve^{xyu} + 5xy^4(yu)^5 + x$

$\frac{\partial f}{\partial v} = xve^{xyu} + v^2 + 5y^4(xy)^5 + \frac{2}{v}$

⑤




periodicity is  $\pi$




periodicity is  $2\pi$

(c)  $f(x) = e^{3ix} = \cos 3x + i \sin 3x$


periodicity so overall periodicity of  $\frac{2\pi}{3}$



zeros at  $x = \frac{n\pi}{2}$   $n = 0, 1, 2, \dots$



zeros at  $x = \frac{n\pi}{2}$   $n = \pm 1, \pm 3, \pm 5, \dots$





zeros at  $x = n\pi$   $n = 0, \pm 1, \pm 2, \dots$

④  $e^{ix} = \cos x + i \sin x$   $e^{-ix} = \cos(-x) + i \sin(-x) = \cos x - i \sin x$

so  $\frac{1}{2}(e^{ix} + e^{-ix}) = \frac{1}{2}(\cos x + i \sin x + \cos x - i \sin x) = \cos x$

$\frac{1}{2i}(e^{ix} - e^{-ix}) = \frac{1}{2i}(\cos x + i \sin x - \cos x + i \sin x) = \sin x$

⑦ Packer series  $N=3$   $N_j = 4, 5, 6, \dots$





$E_{ion}(He^+) = 2R = 27.212 \text{ eV}$   
 $E_{ion}(Li^+) = 3R = 40.818 \text{ eV}$

Incorrect

9 your own words

10 a



c



d



11

- a) not valid  $\psi(x) \rightarrow \infty$  at  $x = -\infty$  not bounded
- b) not valid  $\psi(x) \neq 0$  at  $x = \pm\infty$  not normalizable
- c) valid
- d) not valid multivalued  $\psi = x^{1/2}$
- e) valid

12

```
In(2):= D[Tan[Cos[Sqrt[x]]], x]
Out(2):= -Sec[Cos[Sqrt[x]]] Sin[Sqrt[x]] / (2*Sqrt[x])

In(3):= D[x^(3/2) + 1/Sec[x], x]
Out(3):= 3*Sqrt[x]/2 - Sin[x]

In(4):= D[x^3 + xy^5 + xy, x]
Out(4):= 3ax^2 + y + y^5
```

```
In(5):= D[ax^3 + xy^5 + xy, y]
Out(5):= x + 5xy^4

In(6):= D[Tan[xy] - y^2/x, x]
Out(6):= y^2/x^2 + y Sec[xy]^2

In(7):= D[Tan[xy] - y^2/x, y]
Out(7):= -2y/x + x Sec[xy]^2
```

```
In(8):= D[x^2 + Exp[xyv] + v^2 y Log[v] + (xyu)^5 + Log[y^2/(xu)], x]
Out(8):= -1/x + 2x + e^xy v y + 5u^5 x^4 y^5

In(9):= D[x^2 + Exp[xyv] + v^2 y Log[v] + (xyu)^5 + Log[y^2/(xu)], y]
Out(9):= e^xy v x + 2/y + 5u^5 x^3 y^4 + v^2 Log[v]
```

```
In(17):= Na = Sqrt[Integrate[Exp[-x^4]^2, {x, -Infinity, Infinity}]]
```

```
Out(17):= 2^(3/4) Gamma[5/4]
```

```
In(18):= Nb = Sqrt[Integrate[(x^4 Exp[-x^2])^2, {x, -Infinity, Infinity}]]
```

```
Out(18):= 1/16 Sqrt[105] (2)^(1/4)
```

```
In(19):= Nc = Sqrt[Integrate[(Sin[x] Exp[-x^2])^2, {x, -Infinity, Infinity}]]
```


```
Out(19):= 1/2 Sqrt[2pi] - Sqrt[2pi/e]
```

```
In(20):= paia = Na Exp[-x^4];
```

```
In(21):= paib = Nb x^4 Exp[-x^2];
```


```
In(22):= paic = Nc Sin[x] Exp[-x^2];
```

```
Plot[paia^2, {x, -2, 2}]
```




```
Out(25):= -Graphics-
```

```
In(28):= Plot[paib^2, {x, -5, 5}, PlotRange -> All]
```



```
Out(28):= -Graphics-
```

```
In(33):= Plot[paic^2, {x, -5, 5}, PlotRange -> All]
```



```
Out(33):= -Graphics-
```

14

- a) Laser surgery, Atomic bombs
- b) Hubble telescope
- c) meteorology
- d) your answer